

土 工 一 式			
名 称	計 算	単 位	数 値
作業土工			
床 堀			
	別紙計算書より 294.72 ÷ 290	m ³	290
埋戻し			
(発生土)	別紙計算書より 31.31 ÷ 30	m ³	30
	31.31 × 1.11 (締固め換算係数) = 34.75		
路床盛土			
(購入土)	別紙計算書より 115.63 ÷ 120	m ³	120
路体盛土			
(発生土)	別紙計算書より 51.48 ÷ 50	m ³	50
	51.48 × 1.11 (締固め換算係数) = 57.14		
残土処理			
運搬	294.72 - 34.75 - 57.14		
	= 202.83 ÷ 200	m ³	200
投棄料	202.83 × 1.2 (ほぐし土量係数) = 243.396 ÷ 240	m ³	240

測点	点間距離	床 堀				埋 戻			
		距離	断面積	平均積	立積	距離	断面積	平均積	立積
No.3-3.0			0.00				0.00		
No.3	3.000		4.70	2.350	7.05		0.40	0.200	0.60
BC.2	11.717		5.20	4.950	58.00		0.50	0.450	5.27
No.4	8.283		5.60	5.400	44.73		0.50	0.500	4.14
No.5(A)	20.000		6.40	6.000	120.00		0.90	0.700	14.00
No.5(B)	0.000		4.20	5.300	0.00		0.50	0.700	0.00
SP.2	11.859		3.70	3.950	46.84		0.40	0.450	5.34
No.5+16.0	4.141		3.70	3.700	15.32		0.40	0.400	1.66
No.5+17.5	1.500		0.00	1.850	2.78		0.00	0.200	0.30
小 計	60.5				294.72				31.31

測点	点間距離	路床盛土				路体盛土			
		距離	断面積	平均積	立積	距離	断面積	平均積	立積
No.3-3.0			0.00				0.00		
No.3	3.000		2.10	1.050	3.15		1.20	0.600	1.80
BC.2	11.717		2.10	2.100	24.61		1.20	1.200	14.06
No.4	8.283		2.10	2.100	17.39		1.20	1.200	9.94
No.5(A)	20.000		2.10	2.100	42.00		1.20	1.200	24.00
No.5(B)	0.000		1.70	1.900	0.00		0.10	0.650	0.00
SP.2	11.859		1.70	1.700	20.16		0.10	0.100	1.19
No.5+16.0	4.141		1.70	1.700	7.04		0.10	0.100	0.41
No.5+17.5	1.500		0.00	0.850	1.28		0.00	0.050	0.08
小 計	60.5				115.63				51.48

[illegible]

測点	点間距離	表 層				上層路盤工			
		距離	面積	平均	平積	距離	面積	平均	平積
No.3-3.0			3.94				2.77		
No.3	3.000		3.94	3.940	11.82		2.77	2.770	8.31
BC.2	11.717		3.99	3.965	46.46		2.78	2.775	32.51
No.4	8.283		3.97	3.980	32.97		2.78	2.780	23.03
No.5(A)	20.000		3.69	3.830	76.60		2.78	2.780	55.60
No.5(B)	0.000		3.69	3.690	0.00		2.28	2.530	0.00
SP.2	11.859		3.69	3.690	43.76		2.28	2.280	27.04
No.5+13.0(A)	1.141		3.69	3.690	4.21		2.28	2.280	2.60
No.5+13.0(B)	0.000		3.45	3.570	0.00		2.28	2.280	0.00
No.5+16.0	3.000		2.85	3.150	9.45		2.28	2.280	6.84
No.5+17.5	1.500		2.85	2.850	4.28				
小 計	60.5				229.54				155.93

測点	点間距離	下層路盤工							
		距離	面積	平均	平積	距離	面積	平均	平積
No.3-3.0			2.73						
No.3	3.000		2.73	2.730	8.19				
BC.2	11.717		2.73	2.730	31.99				
No.4	8.283		2.73	2.730	22.61				
No.5(A)	20.000		2.73	2.730	54.60				
No.5(B)	0.000		2.23	2.480	0.00				
SP.2	11.859		2.23	2.230	26.45				
No.5+13.0(A)	1.141		2.23	2.230	2.54				
No.5+13.0(B)	0.000		2.23	2.230	0.00				
No.5+16.0	3.000		2.23	2.230	6.69				
No.5+17.5	1.500								
小 計	60.5				153.07				0.00

[illegible]

測点	点間距離	AS取壊し							
		距離	断面積	平均積	立積	距離	断面積	平均積	立積
No.3-3.0			3.70						
No.3	3.000		2.07	2.885	8.66				
BC.2	11.717		2.40	2.235	26.19				
No.4	8.283		2.66	2.530	20.96				
No.5	20.000		2.80	2.730	54.60				
SP.2	11.859		2.85	2.825	33.50				
No.5+16.0	4.141		2.85	2.850	11.80				
No.5+17.5	1.500		2.85	2.850	4.28				
小 計	60.5				159.98				0.00

[illegible]

[illegible]

[illegible]